

```
<?php
/*****
Product      : Rentalot Plus
Date         : 15 January 2012
Copyright    : Les Arbres Design 2009-2012
Contact      : http://extensions.lesarbresdesign.info
Licence      : GNU General Public License
*****/
defined('_JEXEC') or die('Restricted Access');

jimport('joomla.application.component.view');
require_once JPATH_COMPONENT_ADMINISTRATOR.DS.'helpers'.DS.'view_helper.php';
require_once JPATH_COMPONENT_ADMINISTRATOR.DS.'helpers'.DS.'view_daily_helper.php';

class RentalotplusViewDaily extends JView
{
function display()
{
    LA_view::load_styles(); // load our front-end stylesheet

// get the menu parameters

    $app = JFactory::getApplication('site');
    $menu_params = & $app->getParams();
    if ($menu_params == null) // is there an active menu item ?
    {
        echo JText::_('COM_RENTALOTPLUS_ERROR_NO_MENU_ITEM');
        return;
    }

    $date_from = $menu_params->get('date_from');
    if (strtolower($date_from) == 'y') // if date_from is Y or y ...
        $date_from = gmdate("Y-01-01"); // .. default to 1st of January this year
    if (empty($date_from)) // if date_from is blank or 0 ...
        $date_from = gmdate("Y-m-d"); // .. default to today
    $date_to = $menu_params->get('date_to');
    if (empty($date_to)) // if date_to is blank or 0 ...
        $date_to = "3000-12-31"; // .. default to forever
    $unit_id = $menu_params->get('unit_id', '');
    $page_hdr = $menu_params->get('page_hdr', '');
    $top_text = $menu_params->get('top_text', '');
    $image = $menu_params->get('image', '');
    $image_align = $menu_params->get('image_align', '');
    $bottom_text = $menu_params->get('bottom_text', '');

    $book_button = $menu_params->get('book_button', 'no');

    $enquiry_button = $menu_params->get('enquiry_button', 'no');
    $show_description = substr($menu_params->get('show_description', 'n'),0,1);
    $show_extras = substr($menu_params->get('show_extras', 'n'),0,1);
    $pageclass_sfx = $menu_params->get('pageclass_sfx', '');

    if ($this->config_data->past_periods == PAST_PERIODS_HIDDEN)
    {
        $current_date = strftime("%Y-%m-%d");
        if (strcmp($date_from,$current_date) < 0)
            $date_from = $current_date;
    }
}
}
```

```
}

// validate the menu parameters

if (!Rentalot_Plus_Utility::validDate($date_from))
{
    echo JText::sprintf('COM_RENTALOTPLUS_INVALID_DATE_FORMAT', $date_from). '<br />';
    return;
}

if (!Rentalot_Plus_Utility::validDate($date_to))
{
    echo JText::sprintf('COM_RENTALOTPLUS_INVALID_DATE_FORMAT', $date_to). '<br />';
    return;
}

// setup currency data

if (($this->base_currency === false) or ($this->current_currency_row === false))
{
    echo JText::_('COM_RENTALOTPLUS_ERROR_NO_CURRENCIES');
    return;
}

$currency_rate = $this->current_currency_row->customer_rate;
$currency_symbol = $this->current_currency_row->symbol;
$currency_format = $this->current_currency_row->currency_format;

// get the unit list

$unit_model = $this->getModel('unit');
$unit_list = $unit_model->getUnitArray('', 1);

// put the whole page in a div of class "rentalot"

echo "\n". '<div class="rentalot" '.$pageclass_sfx.'">';

// draw the title, top text, and image

echo "\n". '<h2>' . $page_hdr . '</h2>';

$imageHtml = "";
if (($image != "-1") AND (!empty($image)))
    $imageHtml = '';

if (($imageHtml != '') or ($top_text != ''))
    echo '<p>' . $imageHtml . $top_text . '</p>';

// draw the unit and currency selectors

echo LA_view::draw_UC_selectors($unit_id, $unit_list, $this->config_data->front_unit_name
, $this->currency_list, $this->current_currency_row->code, 'classic');

if ($unit_id == -1) // error detected by draw_UC_selectors?
{
    echo '</div>'; // end the <div class="rentalot">
```

```
        return;
    }

// Show the Unit Description above the table?

    if ($show_description == 'a')
        echo $this->DrawUnitDescription($unit_id);

// Show the subtitle

    if ($this->config_data->daily_show_subtitle == 1)
        $sub_title = JText::_('COM_RENTALOTPLUS_SUBTITLE_AVAILABILITY');

    else
        $sub_title = '';
    if ($sub_title != '')
        echo '<h3>'.$sub_title.'</h3>';

// get the classic availability data
// - we don't use dates or week numbers here so no need to specify their formats

    $classic_model = $this->getModel('classic');
    /* $itemstext = $classic_model->totalBooking($unit_id); //GHRIX

    $totalBooking=$itemstext[0]->totalRecord;

    $unit_model = $this->getModel('unit');
    $unit_data = $unit_model->getOne($unit_id);
    $max_people = $unit_data->max_people - 1;

    if($totalBooking<=$max_people)
    {
        $book_button = $menu_params->get('book_button', 'yes');
    } */

    $items = $classic_model->getData($unit_id, $date_from, $date_to, 1, 0, $currency_rate);
    if ($items === false)
        return;          // Database error has been echoed

// draw the daily view

    if (count($items) == 0)
        echo '<p>'.JText::_('COM_RENTALOTPLUS_NO_PRICE_UNIT').' ('.$date_from.' - '.$date_to.'
        )</p>';
    else
        echo LA_daily_view::draw_daily_view($items, $classic_model, $this->config_data,
        $unit_id, $this->current_currency_row->code, $currency_symbol, $currency_format);

// Show the Unit Description below the table?

    if ($show_description == 'b')
        echo $this->DrawUnitDescription($unit_id);

// show extras, if required
```

```

    if ($show_extras == 'y')
    {
        $extra_model = $this->getModel('extra');
        $extras_list = $extra_model->getOneBookingExtras(0, $currency_rate, 1); // get all
        extras repriced at the chosen currency rate
        echo LA_view::draw_extras($extras_list, $currency_format, $currency_symbol, $this->
        config_data->front_extras_name);
    }

// draw the enquire and book buttons

    echo LA_view::draw_EB_buttons($unit_id, $this->current_currency_row->code,
    $enquiry_button, $book_button, $show_description, $show_extras, 'daily', true);

// display the bottom text

    if ($bottom_text != '')
        echo "\n".<p>.$bottom_text.</p>;

    echo "\n</div>"; // end the <div class="rentalot">
    return;
}

//-----
// Draws the Unit Description including Attributes
//
function DrawUnitDescription($unit_id)
{
    $html = '';

    // get the published attributes

    $attribute_model = $this->getModel('attribute');
    $attributes = $attribute_model->getOneUnitAttributes($unit_id, 1);

    // any attributes to display?
    if (isset($attributes))
    {
        foreach ($attributes as $attribute)
            if (($attribute['value'] == 1) and ($attribute['icon'] != ''))
                $html .= JHTML::_('image', ADMIN_ASSETS_URL.$attribute['icon'], $attribute[
                'aname'], array('title' => $attribute['aname'])).' ';
    }

    //get the Unit Description

    $unit_model = $this->getModel('unit');
    $unit_data = $unit_model->getOne($unit_id);
    $html .= LA_view::draw_UnitDescription($unit_data);

    return $html;
}
}
?>

```